Health Canada Santé Canada

*Your health and safety... our priority.* *Votre santé et votre sécurité... notre priorité.*

Proposed Maximum Residue Limit PMRL2010-75

# Glyphosate

*(publié aussi en français)*

**26 November 2010**

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6604-E2
Ottawa, Ontario
K1A 0K9

Internet: pmra.publications@hc-sc.gc.ca
healthcanada.gc.ca/pmra
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
pmra.infoserv@hc-sc.gc.ca

Canada

HC Pub: 100525

ISBN: 978-1-100-16941-5 (978-1-100-16942-2)
Catalogue number: HH13-24/2010-75E (HH13-24/2010-75E-PDF)

© **Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2010**

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Works and Government Services Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has concluded that the application of Touchdown iQ Liquid Herbicide and Touchdown Total Herbicide, containing technical grade glyphosate salts, to glyphosate tolerant soybeans containing the Optimum GAT genetic event is acceptable. The specific uses approved in Canada for glyphosate tolerant soybeans are detailed on the product labels of Touchdown iQ Liquid Herbicide and Touchdown Total Herbicide, *Pest Control Products Act* Registration Numbers 27192 and 28072, respectively.

The evaluation of these glyphosate applications indicated that the end-use products have merit and value and the human health and environmental risks associated with the new uses are acceptable. Details regarding the registration can be found in the corresponding Evaluation Report that is available in the Pesticides and Pest Management section of Health Canada's website, under Public Registry, Pesticide Product Information Database.[1]

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Canadian glyphosate MRLs are currently established for a number of commodities, including soybeans and kidney and liver of cattle, goats, hogs, poultry and sheep, with the corresponding residue definition including glyphosate and the metabolite aminomethylphosphonic acid (AMPA). This MRL action proposes to revise the residue definition for the listed commodities, in accordance with Table 1, while retaining the same MRLs. In addition, new MRLs for eggs, milk and other livestock commodities are being proposed.

Consultation on the proposed MRLs for glyphosate is being conducted via this document (see Next Steps, the last section of this document).

To comply with Canada's international trade obligations, consultation on the proposed MRLs is also being conducted internationally by notifying the World Trade Organization, as coordinated by the Standards Council of Canada.

The proposed MRLs for glyphosate in Canada in or on food, to replace or be added to the MRLs already legally established, are as follows.

[1] The relevant report can be accessed by selecting the Applications/Amendment/Historical tab and opening the Evaluation Report found under Application Number 2008-0448 (Touchdown iQ) or 2008-0449 (Touchdown Total).

**Table 1 Proposed Maximum Residue Limits for Glyphosate**

| Common Name | Residue Definition | MRL (ppm) | Food Commodity |
|---|---|---|---|
| Glyphosate | *N*-(phosphonomethyl)glycine, including the metabolites aminomethylphosphonic acid, [(acetylamino)methyl]phosphonic acid and *N*-acetyl-*N*-(phosphonomethyl)glycine | 20* | Dry soybeans |
| | *N*-(phosphonomethyl)glycine, including the metabolites aminomethylphosphonic acid and *N*-acetyl-*N*-(phosphonomethyl) glycine | 2.0** | Kidney of cattle, goats, hogs, horses, poultry and sheep |
| | | 0.2*** | Liver of cattle, goats, hogs, horses, poultry and sheep |
| | | 0.15 | Fat of cattle, goats, hogs, horses, poultry and sheep |
| | | 0.08 | Eggs; meat of cattle, goats, hogs, horses, poultry and sheep; milk |

* Proposed to replace the established 20 ppm MRL for glyphosate and the metabolite AMPA in or on "soybeans".

** Proposed to replace the established MRL of 2.0 ppm for residues of glyphosate and the metabolite AMPA in or on livestock kidney commodities and add an MRL for kidney of horses.

*** Proposed to replace the established MRL of 0.2 ppm for residues of glyphosate and the metabolite AMPA in or on livestock liver commodities and add an MRL for liver of horses.

A complete list of all pesticide MRLs established in Canada can be found on the Maximum Residue Limits for Pesticides webpage in the Pesticides and Pest Management section of Health Canada's website.

**International Situation and Trade Implications**

MRLs may vary from one country to another for a number of reasons, including differences in pesticide use patterns and the locations of the field crop trials used to generate residue chemistry data. For livestock commodities, differences in MRLs can also be due to different livestock feed items and practices. Table 2 compares the proposed MRLs for glyphosate in Canada with the corresponding American tolerances and Codex Alimentarius MRLs[2]. American tolerances are listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. A listing of all established Codex MRLs is available on the Codex Alimentarius Pesticide Residues in Food website.

[2] The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

**Table 2 Comparison of Canadian MRLs, American Tolerances and Codex MRLs**

| Food Commodity | Canadian MRL (ppm) | American Tolerance (ppm) | Codex MRL (ppm) |
|---|---|---|---|
| Dry soybeans | 20 | 20 | 20 |
| Kidney of cattle, goats, horses and sheep | 2.0 | 5.0 | 5.0 (mammalian edible offal) |
| Kidney of hogs | 2.0 | 5.0 | 0.5 (pig edible offal) |
| Kidney of poultry | 2.0 | 1.0 | 0.5 (poultry edible offal) |
| Liver of cattle, goats, horses and sheep | 0.2 | 5.0 | 5.0 (mammalian edible offal) |
| Liver of hogs | 0.2 | 5.0 | 0.5 (pig edible offal) |
| Liver of poultry | 0.2 | 1.0 | 0.5 (poultry edible offal) |
| Fat of cattle, goats, hogs, horses, poultry and sheep | 0.15 | No tolerance established | No MRL established |
| Meat of cattle, goats, hogs, horses and sheep | 0.08 | No tolerance established | 0.05 (meat from mammals) |
| Meat of poultry | 0.08 | 4.0 | 0.05 |
| Eggs | 0.08 | 0.05 | 0.05 |
| Milk | 0.08 | No tolerance established | No MRL established (there is a 0.05 ppm MRL for derived milk products) |

## Next Steps

The PMRA invites the public to submit written comments on the proposed MRLs for glyphosate up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRLs for glyphosate and posting a corresponding Established Maximum Residue Limit document in the Pesticides and Pest Management section of Health Canada's website.